

TECHNICAL SPECIFICATION

HEAD PROTECTION



EVO®2 Mid Peak OneTouch™ Slip Ratchet Vented

White / AJF030-000-100



DESCRIPTION

The EVO®2 Comfort Plus helmet combines a super strong shell for superior all day protection in the widest range of environments, with the comfort benefits of the new Evolution® 3D Adjustment™ harness system. EVO®2 is a true evolution of the long-established MK®2 and MK®3 helmets. The EVO®2 retains the JSP signature styling while incorporating developments first seen in the EVO®8. Packed full of the latest protection technology and features.

OPTIONS

White (AJF030-000-100)
Blue (AJF030-000-500)
Black (AJF030-001-100)
Orange (AJF030-000-800)
Green (AJF030-000-300)
Grey (AJF030-000-400)
Yellow (AJF030-000-200)
Pink (AJF030-003-900)
Red (AJF030-000-600)

SAFETY STANDARDS

EN 397



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.


















Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 2 Jun 2021 / Copyright 2018 - 2021. JSP Limited. All Rights Reserved.



SPECIFICATIONS

	Peak Mid		Impact Resistance 50 Joules
	Molten Metal Yes		Maximum Temperature +50°C
	Minimum Temperature -30°C		HDPE Shell Yes
	Recyclable Shell		LDPE Harness Yes
	Depth Adjustment 3D Harness		Slip Ratchet Slip
	Universal Accessories Slot Yes		Ventilation Yes
	BSI Kitemark Yes		Reflective Option Optional
	ID card holder Optional		JSPCheck Yes
	Product Weight 402g		

FEATURES



Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. The OneTouch™ slip ratchet makes it simple to tighten to the perfect fit.



CR2 Reflective

Using Class RA2, high intensity reflective, CR2 is the biggest step-up in night time visibility/reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.




Supreme Comfort

A traditional 6-point polyethylene harness making the EVO@2 the more economical choice, whilst still providing the same high performance as the EVO@3.



Ventilation Option

Side and rear ventilation for optimum air movement inside the shell, reducing helmet temperatures by an average 2-3 degrees.



3D Adjustment

The polyethylene harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



Accessories

A universal attachment slot enables firm fitting of a range of Surefit™ safety visors and ear defenders.



JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.

APPLICATIONS

Agricultural

Airports

Construction and Infrastructure

Maritime



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 2 Jun 2021 / Copyright 2018 - 2021. JSP Limited. All Rights Reserved.



ACCESSORIES

EVO® Sweatband

Cooling Sweatbands for EVO® L/2/3/5/6 (Pack of 2)

Deluxe Chinstrap with Chincup

EVO® Neck Cape

EVOGuard®C2 Industrial Visor

EVOGuard®C5-MAX Industrial Visor

Sonis® Compact Helmet Mounted Ear Defenders

Sonis®1 Hygiene Kit

Sonis®3 Helmet Mounted Ear Defenders

Surefit™ Thermal Safety Helmet Liner

Cold Weather Helmet Comforter

CR2 Reflective Kit for EVO®2/3 Pack of 10

Elasticated Chinstrap

EVOGuard®C1 Industrial Visor

EVOGuard®C4-MAX Industrial Visor

Quick Release 4 Point Linesman Harness

Sonis® Compact Hygiene Kit

Sonis®2 Hygiene Kit

Sonis®3 Hygiene Kit

COMPATIBLE PRODUCTS

EVO® Gas Goggle

EVOGuard®C1 Industrial Visor

EVOGuard®C4-MAX Industrial Visor

Flexinet® Mask FFP2 (821)

Flexinet® Mask FFP2V (822)

SpringFit™ Disposable Dust Mask 421ML FFP2

SpringFit™ Disposable Dust Mask 431ML FFP3

SpringFit™ Disposable Dust Mask 436ML FFP3 with Typhoon™ Valve and Nuisance Carbon Layer

Sonis®1 Helmet Mounted Ear Defenders

Stealth™ 16G

Stealth™ 8000

Stealth™ Coverlite™ Overspec

Typhoon™ Moulded Mask FFP2 Valved (725)

EVO® Goggle Double Lens

EVOGuard®C2 Industrial Visor

EVOGuard®C5-MAX Industrial Visor

Flexinet® Mask FFP2OV (823)

Flexinet® Mask FFP3 Valved (832)

SpringFit™ Disposable Dust Mask 425ML FFP2 with Typhoon™ Valve

SpringFit™ Disposable Dust Mask 435ML FFP3 with Typhoon™ Valve

Sonis® Compact Helmet Mounted Ear Defenders

Sonis®3 Helmet Mounted Ear Defenders

Stealth™ 7000

Stealth™ 9000

Thermex™ Double Lens Goggle

Typhoon™ Moulded Mask FFP2OV (726)

LOGO

- ☒ Front
- ☒ Back
- ☒ Sides

RANGE



VIDEOS

www.youtube.com/watch?v=n9qrN2U0LFk

DOWNLOADS

[Image Pack \(ZIP\)](#)

[Declaration of Conformity \(PDF\)](#)

